STANDARD DIET 1600 KCAL BODY WEIGHT MAINTENANCE

"	MEALS	MENU 1 TIME WEEKLY
W	BREAKFAST	Oats cream (quaker): Fresh milk (1) 0-3.49% fat (1 cup)+ oat flakes (1 oz.)+ 1 banana (4
H		OZ.)
I	SNACK	Apple (1 small, 4 oz.) + 1 cereals bar (high in fiber, low in fat, ~90kcal)
T	LUNCH	Seasonal salad (1) or vegetable soup + corn, boiled (1/4 cup) + chicken, cooked,
E		without skin (4 oz) + rice, cooked (2/3 cup)
"	SNACK	Fresh orange juice (1 cup)
M	DINNER	Seasonal salad (1) + 2 potatoes, boiled (6 oz)+ 1 egg, boiled (1 large, 2 oz.) + 1 oz.
E		Feta cheese
Α		
T		

44	MEALS	MENU ^{2 TIMES WEEKLY}	
R	BREAKFAST	Fresh milk $^{(1)}$ 0- 1.99% fat (1 cup) + 2 sl. Whole wheat bread (1 oz. each) + $\frac{1}{2}$ tbs tachini	
E		+ ½ tsp honey	
D	SNACK	Fresh orange juice (1 cup)+ 1 bread stick (0.5 oz)	
11	LUNCH	Seasonal salad (1) or vegetable soup + beef steak, without visible fat, cooked (or any	
M		other food), low in calories (3 oz.)+ cooked potato (6 oz.)	
E	SNACK	Banana (1 medium, 4oz)	
Α	DINNER	Seasonal salad (1) + 1 potato, baked (3 oz.)homemade french fries (12 oz.) + 2 oz.	
T		Feta cheese	

	MEALS	MENU 1 TIME WEEKLY	
	BREAKFAST	Fresh orange juice (1 cup) + 1 toast (2 slices whole wheat bread, 2 oz.) + 1 slice	
F		low/semi- fat cheese (1 oz.) + 1 slice low fat ham (1 oz.)	
- 1	SNACK	Strawberries (6 oz.) + 1 rusk (1 oz.)	
S	LUNCH	Seasonal salad ⁽¹⁾ or vegetables soup + fish (5 oz.) + potato, baked (5.2 oz.)	
H	SNACK	Apple (1 medium) + orange (1 medium)	
	DINNER	Seasonal salad(1) + spaghetti, cooked (5 oz.) + homemade sauce + 4 tbs grinded	
		parmesan	

G	MEALS	MENU 1 TIME WEEKLY
R	BREAKFAST	Yogurt 0-3.49% fat (7 oz.) + muesli (1 oz.) + strawberries (6 oz.)
E	SNACK	Fresh orange juice (1 cup) + rice bar (0.5 oz)
E K	LUNCH	Fresh beans, cooked in olive oil, or other starchy vegetable (10oz.) + 2oz. Low fat cheese + 2sl. Whole wheat bread (1 oz each)
-	SNACK	Pear (1 medium, 6oz)
0	DINNER	Seasonal salad(1) + cooked fish (3 oz.) + potato, baked (6 oz)
ì		
V		
E		
ı		
L		

	MEALS	MENU 1 TIME WEEKLY
BREAKFAST Fresh milk (1) 0-3.49% fat (1)		Fresh milk (1) 0-3.49% fat (1 cup)+ cereals (2 oz.)+ 1 banana (2 oz.)
G	SNACK	Fresh orange juice (1 cup)
U	LUNCH	Seasonal salad ⁽¹⁾ + Lentils, soup with tomato sauce (10 oz) + 2 oz. Feta cheese + 2sl. Whole wheat bread (1 oz each)
M	SNACK	Apple (1 small, 4 oz.) + 1 sl. Whole wheat bread (1 oz) + $\frac{1}{2}$ tsp tachini and honey
S	DINNER	Seasonal salad ⁽¹⁾ or vegetable soup + chicken, without its fat crust, cooked with homemade mustard sauce e.g. (5 oz.) + boiled corn (5 oz)

	MEALS	MENU 1 TIME WEEKLY
	BREAKFAST	Fresh orange juice (1 cup) + 2 slices whole wheat bread, 2 oz.)+ 1 fried egg (large, 2
S		OZ.)
T	SNACK	Apple (1 small, 4 oz.)
Α	LUNCH	Seasonal salad (1) + spaghetti, cooked (8z)+ homemade sauce + 3-4 grinded
R		parmesan cheese
С	SNACK	Smoothie: low fat (0-3.49%) milk (1 cup) or yogurt (7 oz.) + banana (1 medium, 4 oz.)
H		+ 1 tsp honey
	DINNER	Legumes and tuna Salad: Seasonal salad (2) (e.g. carrot, cabbage) + legumes, boiled
		(3.5oz.)+ tuna, conserved (3 oz.)

Nutritional Facts:	
Energy (Kcal)	1600
Proteins	2.7 oz (19%)
Carbohydrate	7.2 oz (50%)
S	
Fats	2 oz (32.2%)

TIPS:

(1) **Seasonal salad** (from non-starchy vegetables) may be raw or boiled. As for the total amount of olive oil (for lunch and dinner), it should be equal to 2 tablespoons (1 tablespoon= 3 teaspoons)

In meals such as meat, rice, sauces and purees try to add vegetables, so that the daily consumption of vegetables is increased (e.g. carrot puree, tomato sauce, broccoli bites)

Quantities are based on cooked food, normally prepared with $\frac{1}{2}$ - 1 tbs olive oil per food serving.

Feel free to consult the unit "Food Groups" in order to make changes and to develop your own diet based on your own nutritional preferences.

Meat, fish and legumes belong in the group of proteins

Rice, potatoes and bread belong in the group of carbohydrates

Olive oil and nuts belong in the group of fat.

The Food Group of "Free Foodstuff" consists of products that include less than 20kcal/portion or less than 5g of carbohydrates/portion. You may consume up to 3 portions of "Free Foodstuff" daily. In case of hypertension problems, you have to be extremely careful with food that are high in salt.